AMERICAN FASTENING SYSTEMS






PRODUCT CATALOG



FASTENER SELECTION GUIDE





To identify the Length, Angle and Collation of

- A) Place the point of the first nail of the strip or coil on the nail shown and lay the strip or coil on the chart. See the next page for full size chart
- **B)** With the fasteners on the chart you will be able to see the length of the nail and the points of the nails will fall within a color angle bar to identify the angle of the nails.

STEP 2: After you identify the Length, Angle, Collation and Color Code:

- A) Find the matching label for the fastener. In this case, you would look for the **GREEN** color bar on the label for 22°.
- B) In most cases, label text is GREEN for hot dip galvanized,
 BLUE for stainless steel and black for bright and electro galv.
- C) Find your tool model in the list. For a more complete list, please visit www.bandceagle.com or look at the product page in this catalog. Locate the Color Coded Fastener box in stock.

LABEL KEY

HD	Hot Dip Galvanized	Meets ASTM A153-D Standard for Zinc coating weight
SS	Stainless Steel	Best possible corrosion protection
R	Ring Shank	
PC	Plastic Coil	Plastic sheet collation
HT	Heat Treated	Provides added strength to the fastener
sc	Screw Shank	

TYPES OF FASTENER COATINGS:

Bright — Bright fasteners have no coating to protect the steel and are susceptible to corrosion if exposed to high humidity or water. They are not recommended for exterior use or in treated lumber, and only for interior applications where no corrosion protection is needed. Bright fasteners are often used for interior framing, trim and finish applications.

Hot Dipped Galvanized — Hot dip galvanized fasteners are coated with a layer of Zinc to help protect the steel from corroding. Although hot dip galvanized fasteners will corrode over time as the coating wears, they are generally good for the lifetime of the application. Hot dip galvanized fasteners are generally used for outdoor applications where the fastener is exposed to daily weather conditions such as rain and snow. Areas near the coasts where the salt content in rain water is much higher, should consider Stainless Steel fasteners as salt accelerates the deterioration of the galvanization and will accelerate corrosion. All B&C Eagle fasteners meet or exceed the ASTM 153-D classification for Zinc galvanization coating weight. This ensures the longest lifetime possible for a hot dip galvanized fastener.

Electro Galvanized — Electro Galvanized fasteners have a very thin layer of Zinc that offers some corrosion protection. They are generally used in areas where minimal corrosion protection is needed such as bathrooms, kitchens and other areas that are susceptible to some water or humidity. Areas near the coasts where salt content in rain water is higher should consider a Hot Dip Galvanized or Stainless Steel fastener. All B&C Eagle electro galvanized fasters meet or exceed the ASTM 641 for Zinc galvanized coating weight for maximum fastener life.


Stainless Steel — Stainless steel fasteners offer the best corrosion protection available. The steel may oxidize or rust over time but it will never lose its strength from corrosion. Stainless Steel fasteners can be used for exterior or interior applications and generally come in 304 or 316 stainless steel. All B&C Eagle fasteners use a minimum S304 stainless steel.

PPG E-Coat — PPG 1,000 hour E-coat is a premium coating that started out exclusively for industrial and automotive applications. Because of the success and high corrosion protection, it is now used on fasteners. PPG E-Coat comes in many colors and is spread consistently on the fastener ensuring a smooth uniform thickness that prevents recess head and thread fill. The fastener is Zinc and Zinc Nickel plated before being electro coated to provide ultimate corrosion protection. The PPG coating B&C Eagle uses for our fasteners withstands up to 1,000 hours of salt spray before starting to show signs of corrosion. This results in some of the best corrosion protection in the industry.

H A CHILLOW

THE COLLATED FASTENER PROGRAM

COLOR CODED ANGLE AND SIZE CHART




TO DETERMINE THE PROPER NAIL ANGLE AND SIZE, PLACE THE POINT OF THE FIRST NAIL OF THE STRIP OR COIL OVER THE POINT OF THE NAIL AS SHOWN ON THE CHARI www.bandceagle.com



WWW.BANDCEAGLE.COM

For the most up to date information, please visit our website. We have a massive cross reference database of tools and fasteners to help you find the right fastener for your tool or project. We are constantly updating, if you can't find your tool or fastener listed in the catalog, check our website.





PAPER TAPE STRIP NAILS

33/34° OFFSET HEAD PAPER TAPE COLLATION



Primary Applications:

Framing, Trusses, Subflooring, Decking, Fencing, Sheathing, Crate and Box Assembly, Pallets

Size	Shank	Description	Qty/Box
1-1/2"	.148	Bright Smooth Joist Hanger	1.0M
1-1/2"	.148	Bright Smooth Joist Hanger	3.0M
1-1/2"	.148	Hot Dip Galv. Smooth	1.0M
1-1/2"	.148	Hot Dip Galv. Smooth	3.0M
2"	.113	Bright Smooth Shank	2.5M
2"	.113	Hot Dip Galv. Ring	2.5M
2-1/4"	.120	Heat Treated Smooth	2.5M
2-3/8"	.113	Bright Smooth Shank	2.5M
2-3/8"	.113	Bright Ring Shank	2.5M
2-3/8"	.113	Hot Dip Galv. Smooth Shank	2.5M
2-3/8"	.113	Hot Dip Galv. Ring Shank	2.5M
2-3/8"	.113	Stainless Steel Ring Shank	1.0M
2-1/2"	.162	Bright Smooth Shank	2.0M
2-1/2"	.162	Hot Dip Galv. Smooth Shank	2.0M
3"	.120	Bright Smooth Shank	2.5M
3"	.131	Hot Dip Galv. Smooth Shank	2.5M
3"	.131	Bright Smooth Shank	2.5M
3"	.120	Bright Ring Shank	2.5M
3"	.120	Hot Dip Galv. Ring Shank	2.5M
3-1/4"	.120	Hot Dip Galv. Ring Shank	2.5M
3-1/4"	.120	Stainless Steel Ring Shank	1.0M
3-1/4"	.131	Bright Smooth Shank	2.5M
3-1/4"	.131	Hot Dip Galv. Smooth Shank	2.5M
3-1/4"	.131	Hot Dip Galv. Ring Shank	2.5M
3-1/2"	.131	Bright Smooth Shank	2.5M
3-1/2"	.131	Hot Dip Galv. Smooth Shank	2.5M
	1-1/2" 1-1/2" 2" 2-1/4" 2-3/8" 2-3/8" 2-3/8" 2-3/8" 2-1/2" 3" 3" 3" 3-1/4" 3-1/4" 3-1/4" 3-1/4"	1-1/2" .148 1-1/2" .148 1-1/2" .148 1-1/2" .148 2" .113 2" .113 2-1/4" .120 2-3/8" .113 2-3/8" .113 2-3/8" .113 2-3/8" .113 2-3/8" .113 2-3/8" .162 2-1/2" .162 3" .120 3" .131 3" .131 3" .120 3" .120 3-1/4" .120 3-1/4" .120 3-1/4" .120 3-1/4" .121 3-1/4" .131 3-1/4" .131 3-1/4" .131	1-1/2" .148 Bright Smooth Joist Hanger 1-1/2" .148 Bright Smooth Joist Hanger 1-1/2" .148 Hot Dip Galv. Smooth 1-1/2" .148 Hot Dip Galv. Smooth 2" .113 Bright Smooth Shank 2" .113 Hot Dip Galv. Ring 2-1/4" .120 Heat Treated Smooth 2-3/8" .113 Bright Smooth Shank 2-3/8" .113 Bright Ring Shank 2-3/8" .113 Hot Dip Galv. Smooth Shank 2-3/8" .113 Hot Dip Galv. Ring Shank 2-3/8" .113 Stainless Steel Ring Shank 2-3/8" .113 Stainless Steel Ring Shank 2-3/8" .162 Bright Smooth Shank 2-1/2" .162 Bright Smooth Shank 3" .120 Bright Smooth Shank 3" .131 Hot Dip Galv. Smooth Shank 3" .131 Bright Smooth Shank 3" .120 Bright Ring Shank 3" .120 Bright Ring Shank 3" .120 Bright Ring Shank 3" .120 Hot Dip Galv. Ring Shank 3" .120 Hot Dip Galv. Ring Shank 3-1/4" .120 Stainless Steel Ring Shank 3-1/4" .131 Bright Smooth Shank 3-1/2" .131 Bright Smooth Shank

CONSUMER PACKS

A2x113HDR/33	2"	.113	Hot Dip Galv. Ring Shank	500
A214X120HT/33	2-1/4"	.120	Heat Treated Smooth	500
A238x113/33	2-3/8"	.113	Bright Smooth Shank	500
A238x113R/33	2-3/8"	.113	Bright Ring Shank	500
A238x113HDR/33	2-3/8"	.113	Hot Dip Galv. Ring Shank	500
A238x113RSS/33	2-3/8"	.113	Stainless Steel Ring Shank	500
A3x131/33	3"	.131	Bright Smooth Shank	500
A3x120HDR/33	3"	.120	Hot Dip Galv. Ring Shank	500
A3x131RSS/33	3"	.131	Stainless Steel Ring Shank	500
A314x120HDR/33	3-1/4"	.120	Hot Dip Galv. Ring Shank	500
A314x131/33	3-1/4"	.131	Bright Smooth Shank	500
A314x131HD/33	3-1/4"	.131	Hot Dip Galv. Smooth	500
A314x131RSS/33	3-1/4"	.131	Stainless Steel Ring Shank	500
A312x131/33	3-1/2"	.131	Bright Smooth Shank	500
A312x131HD33	3-1/2"	.131	Hot Dip Galv. Smooth Shank	500







ENGINEERED TO FIT:

B&C EAGLE SN3483, SN3490, MC150

BEA D100-934C

BESCO CHF 9034, CHF 9034P

BOSCH SN350-34C

BOSTITCH F33PT, MCN150, MCN250, N90PT-1

CRAFTSMAN 18179, 18189

DEWALT D51822, D51823, D51825, DWF83PT, DW325PT

DCN692

FASCO F5C HHN 31-90A SS, F6 HHN 31-90

GREX PPN65, SF9034H

GRIP-RITE GR150, GR250, GRTCH350 **GRIZZLY** H5571, H6146, H7944

HITACHI NR1890DR, NR65AK, NR65AKS, NR83AA

NR83AA2, NR83AA3, NR83AA5, NR90AA

NR90AD

ISM CHN933
MAKITA AN942, AN943

MAX GS683CH, GS683CH-EX

SN883CH/34, SN890CH/34

 MILWAUKEE
 7110-20

 NORTHERN TOOL
 1000992

PASLODE 5250/65S-PP, 5300, 5325, 5350

CF-325, F250S-PP, F350S, IM325 IM325CT, IM350, IMCT, PF350S

PNEU TOOLS RN-150, RN-250, RNS-150

PORTER CABLE FC350, FC350A
POWERS W3-34CDH
PRIMEAIR PCH350
RIDGID R350CHA

SENCO FRAMEPRO 601, 701XP, 751XP

GT90CH, HN150, HN250 SN325, SN70, SN70XP

SPOTNAIL NTD90, YTD90
STAN-TECH SDN11-PT-1
SUPCO SDF88

PLUS MOST OTHER 31-34° PAPER TAPE STRIP FRAMING NAILERS



PLASTIC STRIP NAILS

20/22° FULL ROUND HEAD PLASTIC COLLATION



Primary Applications:

Framing, Trusses, Subflooring, Decking, Fencing, Sheathing, Crate and Box Assembly, Pallets

Part Number	Size	Shank	Description	Qty/Box
112x148/22-1M	1-1/2"	.148	Bright Smooth Joist Hanger	1.0M
112x148/22	1-1/2"	.148	Bright Smooth Joist Hange	6.0M
112x148HD/22-1M	1-1/2"	.148	Hot Dip Galv. Joist Hanger	1.0M
112x148HD/22	1-1/2"	.148	Hot Dip Galv. Joist Hanger	6.0M
2x113/22B	2"	.113	Bright Smooth Shank	6.0M
2x113HDR/22	2"	.113	Hot Dip Galv. Ring Shank	3.0M
2x113HDR/22B	2"	.113	Hot Dip Galv. Ring Shank	6.0M
214x120HT/22	2-1/4"	.120	Heat Treated Smooth	5.0M
238x113/22	2-3/8"	.113	Bright Smooth Shank	2.5M
238x113/22B	2-3/8"	.113	Bright Smooth Shank	5.0M
238x113R/22	2-3/8"	.113	Bright Ring Shank	2.5M
238x113R/22B	2-3/8"	.113	Bright Ring Shank	5.0M
238x113HDR/22	2-3/8"	.113	Hot Dip Galv. Ring Shank	2.5M
238x113HDR/22B	2-3/8"	.113	Hot Dip Galv. Ring Shank	5.0M
238x113RSS/22	2-3/8"	.113	Stainless Steel Ring Shank	1.0M
3x120HDR/22	3"	.120	Hot Dip Galv. Ring Shank	2.0M
3x120HDR/22B	3"	.120	Hot Dip Galv. Ring Shank	4.0M
3x131/22	3"	.131	Bright Smooth Shank	2.0M
3x131/22B	3"	.131	Bright Smooth Shank	4.0M
314x131/22	3-1/4"	.131	Bright Smooth Shank	2.0M
314x131/22B	3-1/4"	.131	Bright Smooth Shank	4.0M
314x120HDR/22	3-1/4"	.120	Hot Dip Galv. Ring Shank	2.0M
314x120HDR/22B	3-1/4"	.120	Hot Dip Galv. Ring Shank	4.0M
314x131RSS/22	3-1/4"	.131	Stainless Steel Ring Shank	1.0M
312x131/22	3-1/2"	.131	Bright Smooth Shank	2.0M
312x131/22B	3-1/2"	.131	Bright Smooth Shank	4.0M
312x131HD/22	3-1/2"	.131	Hot Dip Galv. Smooth	2.0M
312x131HD/22B	3-1/2"	.131	Hot Dip Galv. Smooth	4.0M
4X131HDR/22	4"	.131	Hot Dip Galv. Ring Shank	1.8M
4X148HDR/22	4"	.148	Hot Dip Galv. Ring Shank	1.8M
4X148R/22	4"	.148	Bright Ring Shank	1.8M
412X148R/22	4-1/2"	.148	Bright Ring Shank	1.8M
518X148/22	5-1/8"	.148	Bright Smooth Shank	1.8M
518X148HDS/22	5-1/8"	.148	Hot Dip Galv. Screw Shank	1.8M
518X148S/22	5-1/8"	.148	Bright Screw Shank	1.8M
614X162/22	6-1/4"	.162	Bright Smooth Shank	1.0M
04.47/40011D0/00	6-1/4"	.162	Hot Dip Galv. Screw Shank	1.0M
614X162HDS/22	0-1/-		man zip cam concin conam	

00	MALE		D. A. O. I. C.
	NSI	MER	PACKS
\mathbf{U}	NUU		IAUILU

		•		
A2x113HDR/22	2"	.113	Hot Dip Galv. Ring Shank	500
A238x113/22	2-3/8"	.113	Bright Smooth Shank	500
A238x113R/22	2-2/8"	.113	Bright Ring Shank	500
A238x113HDR/22	2-3/8"	.113	Hot Dip Galv. Ring Shank	500
A238x113RSS/22	2-3/8"	.113	Stainless Steel Ring Shank	500
A3x120/22	3"	.120	Bright Smooth Shank	500
A3x120HDR/22	3"	.120	Hot Dip Galv. Ring Shank	500
A3x131/22	3"	.131	Bright Smooth Shank	500
A3x131RSS/22	3"	.131	Stainless Steel Ring Shank	500
A314x120HDR/22	3-1/4"	.120	Hot Dip Galv. Ring Shank	500
A314x131/22	3-1/4"	.131	Bright Smooth Shank	500
A314x131HD/22	3-1/4"	.131	Hot Dip Galv. Smooth	500
A314x131RSS/22	3-1/4"	.131	Stainless Steel Ring Shank	500
A312x131/22	3-1/2"	.131	Bright Smooth Shank	500
A312x131HD/22	3-1/2"	.131	Hot Dip Galv. Smooth	500



ENGINEERED TO FIT:

B&C EAGLE SN2283, SN2290, SN22160

BESCO RHF 10021, RHF 9021, RHF 9021P

BOSCH SN350-20F

BOSTITCH F21PL, N88RH, N88RH-2MCN

N90RHN, N95RHN, RN90

CAMPBELL HAUSFELD NS209000AV

CRAFTSMAN 18178

DEWALT D51844, D51845, D51850, DCN21PL

DW325PL, DWF83PL

DUO-FAST CN-350B, NSP-350F1, NSP-350F2

FASCO F5C RHN 20-90, F5C RHN 20-90A SS

F6 RHN 20-90, F91

HITACHI NR1890DC, NR83A, NR83A2, NR83A2S

NR83A5(S), NR90AC, NR90AC3, NR90AE

NR90GR

ISM CHN921

MAKITA AN8300, AN922, AN923

MAX GS683RH, GS683RH-EX, SN80

SN883RH, SN890RH, SN90

 MILWAUKEE
 7100-20

 NORTHERN TOOL
 1000992

 PALMGREN
 91232

 PASLODE
 5325 SRH, 5350 SRH-20

 PORTER CABLE
 FR350, FR350A, FR350MAG

POWERS W3-21FRH

PREBENA 8F-RK100-S90, PKT-7-RK90

RIDGID R350RHA

SENCO FRAMEPRO 502, 600 FRH, 602, 652

FRAMEPRO 702XP, 752XP GT90FRH, SN60, SN65, SN65C

SPOTNAIL NPR90, YPR90

PLUS MOST OTHER 20-22° PLASTIC STRIP FRAMING NAILERS







WIRE WELD STRIP / COIL

28° OFFSET HEAD WIRE WELD COLLATION



Primary Applications:

Framing, Trusses, Subflooring, Decking, Fencing, Sheathing, Crate and Box Assembly, Pallets

A		Pallets	g, officialling, office and box 7.0	combry,
Part Number	Size	Shank	Description	Qty/Box
2x113/28	2"	.113	Bright Smooth Shank	2.0M
2x113HDR/28	2"	.113	Hot Dip Galv. Ring Shank	2.0M
238x113/28	2-3/8"	.113	Bright Smooth Shank	2.0M
238x113R/28	2-3/8"	.113	Bright Ring Shank	2.0M
238x113HD/28	2-3/8"	.113	Hot Dip Galv. Smooth Shank	2.0M
238x113HDR/28	2-3/8"	.113	Hot Dip Galv. Ring Shank	2.0M
238x113RSS/28	2-3/8"	.113	Stainless Steel Ring Shank (S304)	1.0M
3x120/28	3"	.120	Bright Smooth Shank	2.0M
3x131/28	3"	.131	Bright Smooth Shank	2.0M
3x120HD/28	3"	.120	Hot Dip Galv. Smooth Shank	2.0M
3x120HDR/28	3"	.120	Hot Dip Galv. Ring Shank	2.0M
314x120/28	3-1/4"	.120	Bright Smooth Shank	2.0M
314x120HD/28	3-1/4"	.120	Hot Dip Galv. Smooth Shank	2.0M
314x120HDR/28	3-1/4"	.120	Hot Dip Galv. Ring Shank	2.0M
314x120RSS/28	3-1/4"	.120	Stainless Steel Ring Shank	1.0M
314x131/28	3-1/4"	.131	Bright Smooth Shank	2.0M
314x131HDR/28	3-1/4"	.131	Hot Dip Galv. Ring Shank	2.0M
312x131/28	3-1/2"	.131	Bright Smooth Shank	2.0M
312x131HD/28	3-1/2"	.131	Hot Dip Galv. Smooth	2.0M
	C	ONSL	IMER PACKS	
A2x113HDR/28	2"	.113	Hot Dip Galv. Ring Shank	500
A238x113/28	2-3/8"	.113	Bright Smooth Shank	500
A238x113R/28	2-3/8"	.113	Bright Ring Shank	500
A238x113HDR/28	2-3/8"	.113	Hot Dip Galv. Ring Shank	500
A238x113RSS/28	2-3/8"	.113	Stainless Steel Ring Shank (S304)	500
A3x131/28	3"	.131	Bright Smooth Shank	500
A3x120HDR/28	3"	.120	Hot Dip Galv. Ring Shank	500
A3x131RSS/28	3"	.131	Stainless Steel Ring Shank (S304)	500
A314x131/28	3-1/4"	.131	Bright Smooth Shank	500
A314x131HD/28	3-1/4"	.131	Hot Dip Galv. Smooth	500
A314x131RSS/28	3-1/4"	.131	Stainless Steel Ring Shank (S304)	500
A312x131/28	3-1/2"	.131	Bright Smooth Shank	500
A312x131HD/28	3-1/2"	.131	Hot Dip Galv. Smooth Shank	500

15° WIRE WELD FLAT COIL NAILS



Primary Applications:

Pallet building and Pallet Repair, framing, Exterior Decks, Subflooring, Crate and Box Assembly, Floor Sheathing

Part Number	Size	Shank	Description	Qty/Box
2x099HDRC	2"	.099	Hot Dip Galv. Ring	3.0M
2x099SC	2"	.099	Bright Screw Shank	9.0M
214x099SC	2-1/4"	.099	Bright Screw Shank	9.0M
238x099C	2-3/8"	.099	Bright Smooth Shank	3.0M
238x099RC	2-3/8"	.099	Bright Ring Shank	3.0M
238x099HDC	2-3/8"	.099	Hot Dip Galv. Smooth	3.0M
238x099HDRC	2-3/8"	.099	Hot Dip Galv. Ring	3.0M
3x120C	3"	.120	Bright Smooth Shank	2.5M
3x120HDC	3"	.120	Hot Dip Galv. Smooth	2.5M
3x131C	3"	.131	Bright Smooth Shank	2.5M
3x120HDRC	3"	.120	Hot Dip Galv. Ring	2.5M
314x120C	3-1/4"	.120	Bright Smooth Shank	2.5M
314x120HDC	3-1/4"	.120	Hot Dip Galv. Smooth	2.5M
314x120HDRC	3-1/4"	.120	Hot Dip Galv. Ring	2.5M
314x131C	3-1/4"	.131	Bright Smooth Shank	2.5M



ENGINEERED TO FIT:

B&C EAGLE SN2890

APACH AN-10028E, L2890

BESCO CHF 9028

BOSTITCH F28WW, N100S, N70S, N80S, N80SB, N88WWB

CRAFTSMAN NS2890

FASCO F5C HHN 28-90, F6 HHN 28-90

GREX SF9028H GRIZZLY H6145, H8234


MAX SN883CH28, SN890CH/28

PORTER CABLE FM350A PRIMEAIR PWCH350 STAN-TECH 1526B

PLUS MOST OTHER 28° WIRE WELD STRIP FRAMING NAILERS







ENGINEERED TO FIT:

B&C EAGLE CN70, CN90, CN90F

BOSTITCH N100C, N57C, N66C-1, N70C, N70CB, N75C-1

N80C, N80CB-1, N86C, N89C-1

DEWALT D51855

HITACHI NV65AC, NV75AG, NV83A, NV83A2, NV83A5

MAKITA AN611, AN621, AN901

MAX CN100, CN565D/S, CN665, CN70, CN80, CN80F, CN890II

CN890S, HN75, HN90

PASLODE 4275-CN70, 5325-CN80, F275C, P275C, F325C, P350C

PORTER CABLE COIL250, COIL350

SENCO PALLETPRO 70, 83, 90, SCN300, SCN56, SCN60XP

SCN65, SCN65XP

PLUS MOST OTHER 15° FLAT COIL NAILERS

wwww.bandceagle.com



ROOFING / SIDING COIL


15° COIL ROOFING NAILS



Primary Applications:

Roofing, Roof Repairs, Sheeting, Vinyl Siding, Asphalt Paper, Metal Drip Edges

Part Number	Size	Shank	Description	Qty/Box
CR-1	1"	.120	Electrogalv. Smooth Shank	7.2M
CR-114	1-1/4"	.120	Electrogalv. Smooth Shank	7.2M
CR-112	1-1/2"	.120	Electrogalv. Smooth Shank	7.2M
CR-134	1-3/4"	.120	Electrogalv. Smooth Shank	7.2M
	C	ONSI	JMER PACKS	
ACR-1	1"	.120	Electrogalv. Smooth Shank	1,080
ACR-114	1-1/4"	.120	Electrogalv. Smooth Shank	720
ACR-112	1-1/2"	.120	Electrogalv. Smooth Shank	720
ACR-134	1-3/4"	.120	Electrogalv. Smooth Shank	720





ENGINEERED TO FIT:

B&C EAGLE CN45R **HITACHI** NV45AB/2, NV45AB2S, NV45AC, NV45AE

 BOSCH
 RN175
 MAKITA
 AN451

 BOSTITCH
 N12B, RN45B, RN46
 MAX
 CN445R, CN450R

DEWALT D51321, DW45RN MILWAUKEE 7120-21

PLUS MOST OTHER 15° COIL ROOFING NAILERS

PASLODE 3175/44RCU, 3175RCU, R175C

PORTER CABLE RN175, RN175A

RIDGID R175RNA

SENCO ROOFPRO 450, 455XP, SCN40R

15° PLASTIC AND WIRE WELD MINI COIL NAILS



Primary Applications:

Roofing, Siding, Sheeting, Deck Pickets, Fencing, Exterior Trim, Wood Shingles, Crate and Box Assembly

Part Number	Size	Shank	Description	Qty/Box
112x092HDPC	1-1/2"	.092	Plastic Hot Dip Galv. Smooth	6.0M
112x092HDRPC	1-1/2"	.092	Plastic Hot Dip Galv. Ring	6.0M
112x092RSSC	1-1/2"	.092	Wire Stainless Steel Ring	3.6M
134x090HDRC	1-3/4"	.090	Wire Hot Dip Galvanized Ring	5.4M
134x092HDPC	1-3/4"	.092	Plastic Hot Dip Galv. Smooth	6.0M
134x092HDRPC	1-3/4"	.092	Plastic Hot Dip Galv. Ring	6.0M
134x092RSSC	1-3/4"	.092	Wire Stainless Steel Ring	3.6M
2x090HDRC	2"	.090	Wire Hot Dip Galv. Ring	5.4M
2x092HDPC	2"	.092	Plastic Hot Dip Galv. Smooth	6.0M
2x092HDRPC	2"	.092	Plastic Hot Dip Galv. Ring	6.0M
2x092RSSC	2"	.092	Wire Stainless Steel Ring	3.6M
2316x090HDC	2-3/16"	.090	Wire Hot Dip Galv. Smooth	5.4M
2316x090HDRC	2-3/16"	.090	Wire Hot Dip Galv. Ring	5.4M
214x092HDPC	2-1/4"	.092	Plastic Hot Dip Galv. Smooth	4.8M
214x092HDRPC	2-1/4"	.092	Plastic Hot Dip Galv. Ring	4.8M
214x092RSSC	2-1/4"	.092	Wire Stainless Steel Ring	3.6M
212x090HDRC	2-1/2"	.090	Wire Hot Dip Galv. Ring	5.4M
212x092HDPC	2-1/2"	.092	Plastic Hot Dip Galv. Smooth	4.8M
212x092HDRPC	2-1/2"	.092	Plastic Hot Dip Galv. Ring	4.8M
3x113HDPC	3"	.113	Plastic Hot Dip Galv. Smooth	4.8M
3x113HDRPC	3"	.113	Plastic Hot Dip Galv. Ring	4.8M
	CO	II 2 N	MER PACKS	

CONSUMER PACKS A214X092HDPC 2-1/4" .092 Plastic Hot Dip Galv. Smooth 800 A214X092HDRPC 2-1/4" .092 Plastic Hot Dip Galv. Ring 800 A212X092HDPC 2-1/2" .092 Plastic Hot Dip Galv. Smooth 800 A212X092HDRPC 2-1/2" .092 Plastic Hot Dip Galv. Ring 800





ENGINEERED TO FIT:

B&C EAGLE CN65SP, CN75

BOSTITCH N55C, N57C, N63CP, N64C, N65CP

N66BC-1, N66C, N66C-1, N75C-1

CRAFTSMAN 18214
DUO-FAST CNP-60Y

HITACHI NV50AG, NV65AH, NV75AG

MAKITA AN611

MAX CN351R-ST, CN55, CN550S, CN565D

CN565S, CN70, CN890S

PASLODE 3225/CN55 PORTER CABLE COIL250

SENCO PALLETPRO 57F, PALLETPRO 70

SCN55S, SCN56, SCN60XP

PLUS MOST OTHER 15° WIRE/PLASTIC MINI COIL NAILERS



STAINLESS STEEL

Full range of Stainless Steel available

American Fastening Systems now offers a full range of stainless steel products. We have a stainless offering in finish nails, medium crown staples, framing nails and coil nails. Our stainless products generally come in smaller packages that can save you big bucks on your small projects. Be sure to look for the **BLUE TEXT** on each product listing page for our stainless steel items.

FINISH BRAD NAILS

	40 CALICE STRAIGHT BRAD NAILS						
18 GAUGE STRAIGHT BRAD NAILS							
PART#	DESCRIPTION	QTY/PACK					
B18114SS-1M	1-1/4" Stainless Steel (S316)	1,000					
B18112SS-1M	1-1/2" Stainless Steel (S316)	1,000					
B182SS-1M	2" Stainless Steel (S316)	1,000					
	16 GAUGE STRAIGHT FINISH NAILS	5					
PART#	DESCRIPTION	QTY/PACK					
B16112SS-1M	1-1/2" Stainless Steel (S316)	1,000					
B162SS-1M	2" Stainless Steel (S316)	1,000					
B16212SS-1M	2-1/2" Stainless Steel (S316)	1,000					
	SENCO STYLE ANGLE FINISH NAILS	S					
PART#	DESCRIPTION	QTY/PACK					
DA17SS-1M	1-1/2" Stainless Steel (S316)	1,000					
DA21SS-1M	2" Stainless Steel (S316)	1,000					
DA25SS-1M	2-1/2" Stainless Steel (S316)	1,000					



MEDIUM GROWN STAPLES

7/16" MEDIUM CROWN STAPLES (SENCO STYLE)						
PART#	DESCRIPTION	QTY/BOX				
SDM112SS-2M	1-1/2" Stainless Steel (S304)	2,000				
SDM2SS-2M	2,000					
1/2" MEDI	1/2" MEDIUM CROWN STAPLES (PASLODE STYLE)					
PART#	DESCRIPTION	QTY/BOX				
PM112SS-2M	1-1/2" Stainless Steel (S304)	2,000				
PM2SS-2M	2" Stainless Steel (S304)	2,000				





BRAD / FINISH NAILS

18GA. GALVANIZED BRAD NAILS



Primary Applications: Finish Carpentry, Trim, Base, Moldings

Part Number	Size	Description	Qty/Box	Qty/Ctn
B18-12	1/2"	Electro Galvanized	5.0M	10
B18-58	5/8"	Electro Galvanized	5.0M	10
B18-34	3/4"	Electro Galvanized	5.0M	10
B18-1	1"	Electro Galvanized	5.0M	10
B18-1316	1-3/16"	Electro Galvanized	5.0M	10
B18-114	1-1/4"	Electro Galvanized	5.0M	10
B18-112	1-1/2"	Electro Galvanized	5.0M	10
B18-158	1-5/8"	Electro Galvanized	5.0M	10
B18-134	1-3/4"	Electro Galvanized	5.0M	10
B18-2	2"	Electro Galvanized	5.0M	10
	CON	SUMER PACK	S	
B1834-1M	3/4"	Electro Galvanized	1.0M	5
B181-1M	1"	Electro Galvanized	1.0M	5
B18114-1M	1-1/4"	Electro Galvanized	1.0M	5

Stainless Steel (S316)

Stainless Steel (S316)

Electro Galvanized

Electro Galvanized Stainless Steel (S316)





ENGINEERED TO FIT:

B&C EAGLE BN1855

BLACK & DECKER BDBN1202, FS1802BN, FSBN125, FSNS125

BOSCH BNS200-18

BOSTITCH BT125K, BT125K-2, BT1855K, BT200K-2, BT35B,

BT50B, GBT1850K, SB-1842BN, SB-1850BN, SB-2in1

CRAFTSMAN 18172, 18173, 18174, 18323

DEWALT D51236K, D51238K, DC608B, DC608K, DCN680 **DUO-FAST** DBN-4450, SURESHOT 4450, SURESHOT 4450ST

HITACHI NT1850DE. NT32AE/2

NT50AD, NT50AE, NT50AE2, NT50GS

MAKITA AF502, AF503, AF505

MAX NF201/18-35, NF211/18-25/50, NF221/18-5, NF255-ST/18

MILWAUKEE 7150-21

PASLODE 2138-F18II, IM200-F18, T125-F18, T200-F18 **PORTER CABLE** BN125A, BN138, BN200A, BN200B, BN200V12

RIDGID R213BNA **SPOTNAIL** CB1850, WB1850

SENCO AF25, FP15, FP18/MG, FP25XP, FP2N1, FN55AX, LS4/5,

PC0991, SLP20

PLUS MOST OTHER 18 GAUGE STRAIGHT BRAD NAILERS



1-1/4"

1-1/2"

1-1/2"

2"

B18114SS-1M

B18112SS-1M

B18112-1M

B182-1M

B182SS-1M

Primary Applications:

Finish Carpentry, Trim, Base, Moldings

1.0M

1.0M

1.0M

1.0M

1.0M

5

5

5

5

5

Part Number	Size	Description	Qty/Box	Qty/Ctn
B16-34	3/4"	Electro Galvanized	2.5M	10
B16-1	1"	Electro Galvanized	2.5M	10
B16-114	1-1/4"	Electro Galvanized	2.5M	10
B16-112	1-1/2"	Electro Galvanized	2.5M	10
B16-134	1-3/4"	Electro Galvanized	2.5M	10
B16-2	2"	Electro Galvanized	2.5M	10
B16-214	2-1/4"	Electro Galvanized	2.5M	10
B16-212	2-1/2"	Electro Galvanized	2.5M	10
	CON	ISUMER PACK	S	
B161-1M	1"	Electro Galvanized	1.0M	5
B16114-1M	1-1/4"	Electro Galvanized	1.0M	5
B16112-1M	1-1/2"	Electro Galvanized	1.0M	5
B16112SS-1M	1-1/2"	Stainless Steel (S316)	1.0M	5
B162-1M	2"	Electro Galvanized	1.0M	5
B162SS-1M	2"	Stainless Steel (S316)	1.0M	5
B16212-1M	2-1/2"	Electro Galvanized	1.0M	5
B16212SS-1M	2-1/2"	Stainless Steel (S316)	1.0M	5





ENGINEERED TO FIT:

B&C EAGLE FN1664 **ACCUSET** A250SM **BOSCH** FNS250-16

BOSTITCH FN16250K-2, FN1664K, GFN1664K, SB-1664FN

CRAFTSMAN 18175, 18176, 18314 **DUO-FAST** LFN-764A, SURESHOT 764

DEWALT D51256K, D51257K, DC612KA, DC613KA, DC616K

DCN662

HITACHI NT1865DM, NT65A, NT65A2, NT65A3, NT65GS

NT65M, NT65M2

MAX NF352-ST/16-50

MILWAUKEE 7145-21

PASLODE 3200-F16, 3250-F16, IM250II, MU-212F, T250-F16,

T250S-F16

PORTER CABLE FN250A, FN250B, FN250C

RIDGID R250SFA SENCO FINISHPRO 32 **SPOTNAIL** FB1632, WB1650

PLUS MOST OTHER 16 GAUGE STRAIGHT FINISH NAILERS



ANGLED FINISH NAILS

SENCO STYLE 35° ANGLE FINISH NAILS



Primary Applications: Finish Carpentry, Trim, Base, Moldings

Part Number	Size	Description	Qty/Box	Qty/Ctn
DA13G	1"	Electro Galvanized	4.0M	5
DA15G	1-1/4"	Electro Galvanized	4.0M	5
DA17G	1-1/2"	Electro Galvanized	4.0M	5
DA19G	1-3/4"	Electro Galvanized	4.0M	4
DA21G	2"	Electro Galvanized	4.0M	4
DA23G	2-1/4"	Electro Galvanized	4.0M	3
DA25G	2-1/2"	Electro Galvanized	4.0M	3

DA25G	2-1/2"	Electro Galvanized	4.0M	3
	COI	NSUMER PACE	(S	
DA15-1M	1-1/4"	Bright Smooth Shank	1.0M	5
DA17-1M	1-1/2"	Bright Smooth Shank	1.0M	5
DA17SS-1M	1-1/2"	Stainless Steel (S316)	1.0M	5
DA21-1M	2"	Bright Smooth Shank	1.0M	5
DA21SS-1M	2"	Stainless Steel (S316)	1.0M	5
DA25-1M	2-1/2"	Bright Smooth Shank	1.0M	5
DA25SS-1M	2-1/2"	Stainless Steel (S316)	1.0M	5

35° ANGLE FINISH NAILS 2-1/2" LENGTH GALVANIZED DA25G 15GA Made in China B&C Eagle (c) 2018 R B&C Eagle (c) 2018 B&C Eagle (c) 2018 B B&C Eagle (c) 20



ENGINEERED TO FIT:

B&C EAGLE FN1564

DEWALT D51275K, D51276K, DC628K

CRAFTSMAN 18177, 18432 **DUO-FAST** DAFN-6480

HITACHI NT65GA, NT65MA/2/3/4, NT1865DMA

 MAKITA
 AF633

 MAX
 NF550/16-65

 MILWAUKEE
 7140-21

PORTER CABLE DA250B, DA250C

RIDGID R250AFA

SENCO AF41, FP35, FP41XP, FP42XP, FN65DA,

SFN30, SFN40, SN1

PLUS MOST OTHER 35° ANGLE FINISH NAILERS





ENGINEERED TO FIT:

BOSTITCH GFN1564K, N60FN, N62FNK-2

 MAKITA
 AF631, AF632

 MAX
 NF510/15-50

 SPOTNAIL
 XBFN64

PLUS MOST OTHER 15GA. 25° ANGLE FINISH NAILERS

BOSTITCH STYLE 25° ANGLE FINISH NAILS



Primary Applications:

Finish Carpentry, Trim, Base, Moldings

Part Number	Size	Description	Qty/Box	Qty/Ctn
BFN-114G	1-1/4"	Electro Galvanized	3.5M	4
BFN-112G	1-1/2"	Electro Galvanized	3.5M	4
BFN-134G	1-3/4"	Electro Galvanized	3.5M	4
BFN-2G	2"	Electro Galvanized	3.5M	3
BFN-214G	2-1/4"	Electro Galvanized	3.5M	3
BFN-212G	2-1/2"	Electro Galvanized	3.5M	3
	COI	NSUMER PACI	KS	
BFN112-1M	1-1/2"	Bright Smooth Shank	1.0M	5
BFN2-1M	2"	Bright Smooth Shank	1.0M	5
BFN212-1M	2-1/2"	Bright Smooth Shank	1.0M	5

PASLODE STYLE 20° ANGLE FINISH NAILS



AF16X212-1M

Primary Applications:

Finish Carpentry, Trim, Base, Moldings

1.0M

5

Management (1971)	annamana	A.		
Part Number	Size	Description	Qty/Box	Qty/Ctn
AF16X114	1-1/4"	Electro Galvanized	2.0M	8
AF16X112	1-1/2"	Electro Galvanized	2.0M	8
AF16X134	1-3/4"	Electro Galvanized	2.0M	8
AF16X2	2"	Electro Galvanized	2.0M	8
AF16X212	2-1/2"	Electro Galvanized	2.0M	8
	CO	NSUMER PACE	KS	
AF16X112-1M	1-1/2"	Bright Smooth Shank	1.0M	5
AF16X2-1M	2"	Bright Smooth Shank	1.0M	5

2-1/2" Bright Smooth Shank





ENGINEERED TO FIT:

DEWALT DC614KA, DC614KN, DC615KA, DC618K

DUO-FAST FLOORMASTER 250BN

HITACHI NT65GB

PASLODE IM250A,T250A-F16, 500910, 900600 PLUS MOST OTHER 16GA. 20° ANGLE FINISH NAILERS



MEDIUM CROWN STAPLES

7/16" SENCO STYLE 16GA. **MEDIUM CROWN STAPLES**



Primary Applications: Cedar Shingles, Fascia and Soffits, Fencing, Floor Underlayment, Furniture, Pallets, Vinyl/Metal Siding, Crate and Box Assembly, Sheathing

Part Number	Size	Crown	Description	Qty/Box
SDM-34	3/4"	7/16"	Electro Galvanized	10.0M
SDM-1	1"	7/16"	Electro Galvanized	10.0M
SDM-114	1-1/4"	7/16"	Electro Galvanized	10.0M
SDM-112	1-1/2"	7/16"	Electro Galvanized	10.0M
SDM112SS-2M	1-1/2"	7/16"	Stainless Steel (S304)	2.0M
SDM-134	1-3/4"	7/16"	Electro Galvanized	10.0M
SDM-2	2"	7/16"	Electro Galvanized	10.0M
SDM2SS-2M	2"	7/16"	Stainless Steel (S304)	2.0M



ENGINEERED TO FIT:

B&C EAGLE MS1650 MAX TA551/16-11, TA551A-16-11, TA551/76

DEWALT D51430 **PORTER CABLE** MS200

DUO-FAST MS-7664E, SM-7664, SM7648 **SENCO** SKS N, SNS40, SNS41, SNS44XP, SNS45, SNS45XP, SNS50, SNS50XP

HITACHI N5008AB, N5008AC(2) PLUS MOST OTHER 7/16" CRN 16GA, SENCO STYLE STAPLERS

1/2" PASLODE STYLE 16GA. **MEDIUM CROWN STAPLES**



Primary Applications: Cedar Shingles, Fascia and Soffits, Fencing, Floor Underlayment, Furniture, Pallets, Vinyl/Metal Siding, Crate and Box Assembly, Sheathing

Part Number	Size	Crown	Description	Qty/Box
PM-34	3/4"	1/2"	Electro Galvanized	10.0M
PM-1	1"	1/2"	Electro Galvanized	10.0M
PM-114	1-1/4"	1/2"	Electro Galvanized	10.0M
PM-112	1-1/2"	1/2"	Electro Galvanized	10.0M
PM112SS-2M	1-1/2"	1/2"	Stainless Steel (S304)	2.0M
PM-134	1-3/4"	1/2"	Electro Galvanized	10.0M
PM-2	2"	1/2"	Electro Galvanized	10.0M
PM2SS-2M	2"	1/2"	Stainless Steel (S304)	2.0M



ENGINEERED TO FIT:

B&C EAGLE MS1650P HITACHI N5010A

DEWALT PASLODE 3150-S16, 3200-S16P, IM200-S16, PA-200, S200-S16

PLUS MOST OTHER 1/2" CRN 16GA PASLODE STYLE STAPLERS

1/2" BOSTITCH STYLE 16GA. **MEDIUM CROWN STAPLES**



Primary Applications: Cedar Shingles, Fascia and Soffits, Fencing, Floor Underlayment, Furniture, Pallets, Vinyl/Metal Siding, Crate and Box Assembly, Sheathing

Part Number	Size	Crown	Description	Qty/Box
BSM-1	1"	1/2"	Electro Galvanized	10.0M
BSM-114	1-1/4"	1/2"	Electro Galvanized	10.0M
BSM-112	1-1/2"	1/2"	Electro Galvanized	10.0M
BSM-134	1-3/4"	1/2"	Electro Galvanized	10.0M
BSM-2	2"	1/2"	Electro Galvanized	10.0M

ENGINEERED TO FIT:

CRAFTSMAN 18410

438S4, 538S4, 650S4, 650S4-1, 750S4 GRIZZLY

T36-1, T38, T40S4, T50S4, T55S4

Made in China

SPOTNAIL HL7616A, HL7616AP, MS76-8650I, XS76-8650 PLUS MOST OTHER 1/2" CRN 16GA BOSTITCH STYLE STAPLERS wwww.bandceagle.com

10.0M/BOX

16 GAUGE MEDIUM CROWN STAPLES

1/2" CROWN x 1-1/2" LEG **GALVANIZED**

BSM-112 ENGINEERED TO FIT:




WIDE CROWN STAPLES

15/16" PASLODE STYLE 16GA. WIDE CROWN STAPLES



Primary Applications: Roofing, Carton-to-Skid, Cabinets Wire Lathing, Furniture Frames, Butt Joints

Part Number	Size	Crown	Description	Qty/Box
PW-58	5/8"	15/16"	Electro Galvanized	10.0M
PW-78	7/8"	15/16"	Electro Galvanized	10.0M
PW-1	1"	15/16"	Electro Galvanized	10.0M
PW-114	1-1/4"	15/16"	Electro Galvanized	10.0M
PW-112	1-1/2"	15/16"	Electro Galvanized	10.0M



ENGINEERED TO FIT:

HITACHI N5021A SPOTNAIL XS2640, XS2650

PASLODE 3150-W16R, 3200-W16, MU-112-W16R

S150-W16R, S200-W16

PLUS MOST OTHER 15/16" CRN 16GA, PASLODE STYLE STAPLERS

1" BOSTITCH STYLE 16GA. WIDE CROWN STAPLES



Primary Applications: Roofing, Carton-to-Skid, Cabinets Wire Lathing, Furniture Frames, Butt Joints

Part Number	Size	Crown	Description	Qty/Box
BSW-58	5/8"	1"	Electro Galvanized	10.0M
BSW-34	3/4"	1"	Electro Galvanized	10.0M
BSW-78	7/8"	1"	Electro Galvanized	10.0M
BSW-1	1"	1"	Electro Galvanized	10.0M
BSW-114	1-1/4"	1"	Electro Galvanized	10.0M
BSW-112	1-1/2"	1"	Electro Galvanized	10.0M



ENGINEERED TO FIT:

BOSTITCH 438S2R, 438S2R-1, SW2550, T35-8, T40S2-CT, T50S2-1 **PLUS MOST OTHER 1" CRN 16GA. BOSTITCH STYLE STAPLERS**

SPOTNAIL HL1612A, HL1616A, HL1620, XS1640, XS1650

1" SENCO STYLE 16GA. WIDE CROWN STAPLES



Primary Applications: Roofing, Carton-to-Skid, Cabinets Wire Lathing, Furniture Frames, Butt Joints

Part Number	Size	Crown	Description	Qty/Box
SDW-34	3/4"	1"	Electro Galvanized	10.0M
SDW-78	7/8"	1"	Electro Galvanized	10.0M
SDW-1	1"	1"	Electro Galvanized	10.0M
SDW-114	1-1/4"	1"	Electro Galvanized	10.0M
SDW-112	1-1/2"	1"	Electro Galvanized	10.0M
SDW-2	2"	1"	Electro Galvanized	10.0M



ENGINEERED TO FIT:

CRAFTSMAN 18415 MAKITA AT2550A

DUO-FAST KW-1748, RS-1748, SW-1748 **SENCO** MWXP, PW, PW150, PW150R, PW200, SPS

HITACHI N5024A SPOTNAIL XS3640, XS3650

PLUS MOST OTHER 1" CRN 16GA, SENCO STYLE STAPLERS



NARROW CROWN STAPLES

1/4" SENCO STYLE 18GA. NARROW CROWN STAPLES



Primary Applications:

Fascia and Soffits, Molding, Cabinets, Trim, Case backs, Lattice, Paneling, Drawers, Spring Attachment-Upholstery

Part Number	Size	Crown	Description	Qty/Box	Qty/Ctn				
9010	3/8"	1/4"	Electro Galvanized	10.0M	10				
9012	1/2"	1/4"	Electro Galvanized	5.0M	10				
9015	5/8"	1/4"	Electro Galvanized	5.0M	10				
9018	3/4"	1/4"	Electro Galvanized	5.0M	10				
9022	7/8"	1/4"	Electro Galvanized	5.0M	10				
9025	1"	1/4"	Electro Galvanized	5.0M	10				
9025SS	1"	1/4"	S304 Stainless Steel	5.0M	10				
9028	1-1/8"	1/4"	Electro Galvanized	5.0M	10				
9032	1-1/4"	1/4"	Electro Galvanized	5.0M	10				
9038	1-1/2"	1/4"	Electro Galvanized	5.0M	10				
CONSUMER PACKS									
9018-1M	3/4"	1/4"	Electro Galvanized	1.0M	5				
9025-1M	1"	1/4"	Electro Galvanized	1.0M	5				
9032-1M	1-1/4"	1/4"	Electro Galvanized	1.0M	5				
9038-1M	1-1/2"	1/4"	Electro Galvanized	1.0M	5				

6 49853 09025 119

B&C Eagle (c) 2018

18 GAUGE NARROW CROWN 1/4" CROWN x 1" LEG GALVANIZED

9025

Made in China

5.0M/BOX



P

[=

ENGINEERED TO FIT:

 B&C EAGLE
 NS1840L, NS1840-II

 DEWALT
 D51420K, D51422K

 DUO-FAST
 SURESHOT 1848

HITACHI N3804AB3, N3804AB, N3804AB2

 MAKITA
 AT638

 MAX
 TA238/18-6

 MILWAUKEE
 7155-21

PORTER CABLE NS100A, NS150A, NS150B

RIDGID R150FSA

SENCO SKS-L, SLS18, SLS20, SLS25XP

PLUS MOST OTHER 1/4" CRN 18GA. SENCO STYLE STAPLERS

7/32" BOSTITCH STYLE 18GA. NARROW CROWN STAPLES



Primary Applications:

Fascia and Soffits, Molding, Cabinets, Trim, Case backs, Lattice, Paneling, Drawers, Spring Attachment-Upholstery

Part Number	Size	Crown	Description	Qty/Box	Qty/Ctn
SX5035-12	1/2"	7/32"	Electro Galvanized	5.0M	10
SX5035-58	5/8"	7/32"	Electro Galvanized	5.0M	10
SX5035-34	3/4"	7/32"	Electro Galvanized	5.0M	10
SX5035-78	7/8"	7/32"	Electro Galvanized	5.0M	10
SX5035-1	1"	7/32"	Electro Galvanized	5.0M	10
SX5035-118	1-1/8"	7/32"	Electro Galvanized	5.0M	10
SX5035-1316	1-3/16"	7/32"	Electro Galvanized	5.0M	10
SX5035-138	1-3/8"	7/32"	Electro Galvanized	5.0M	10



Made in China 5

5.0M/BOX

ENGINEERED TO FIT:

BOSTITCH S32SX, SB-2IN1, SB150SX, SB156SX, SX150-BHF, SX150K-1 SX150K-2, SX1838K, T28-5, T29-30, T31, T35-15, T40SX-CT

PLUS MOST OTHER 7/32" CRN 18GA. BOSTITCH STYLE STAPLERS





FINE WIRE STAPLES

5000 SERIES STAPLES



Primary Applications:

Roofing Felt, House Wrap, TV and Stereo Grille Cloth, Upholstery, Furniture Trim, Automotive Vinyl and Trim, Shoemaking, Mirror and Picture Frames, Bedding, Furniture Frames, Molding

Part Number	Size	Crown	Description	Qty/Box	Qty/Ctn
508C	1/4"	1/2"	Electro Galvanized	5.0M	20
5010C	5/16"	1/2"	Electro Galvanized	5.0M	20
5012C	3/8"	1/2"	Electro Galvanized	5.0M	20
5016C	1/2"	1/2"	Electro Galvanized	5.0M	15
5018C	9/16"	1/2"	Electro Galvanized	5.0M	15



B&C Eagle (c) 2018

HAMMER TACKER STAPLES

1/2" CROWN x 5/16" LEG GALVANIZED

5010C

Made in China

5.0M/BOX

PLES

S

P

E

S

S

ENGINEERED TO FIT:

B&C EAGLE US5016LMA, HT-550, HT-550H

OMER

OMER 50.16, 50.16 CL/CLV/OC/RB/S/SCL/SL

DUO-FAST CS5000, EWC-5018A, HT-550C

PREBENA D-1

SPOTNAIL BS5016AF, DS5016, JS5016

FASCO F1B-501

PLUS MOST OTHER 5000 SERIES FINE WIRE STAPLERS & HAMMER TACKERS

A11 T-50 SERIES STAPLES

SURE SHOT 5020 DALF, SURE SHOT 5020S



Primary Applications:

Roofing Felt, House Wrap, TV and Stereo Grille Cloth, Upholstery, Furniture Trim, Automotive Vinyl and Trim, Shoemaking, Mirror and Picture Frames, Bedding, Furniture Frames, Molding

Part Number	Size	Crown	Description	Qty/Box	Qty/Ctn
A11-14C	1/4"	3/8"	Electro Galvanized	5.0M	20
A11-516C	5/16"	3/8"	Electro Galvanized	5.0M	20
A11-38C	3/8"	3/8"	Electro Galvanized	5.0M	20
A11-12C	1/2"	3/8"	Electro Galvanized	5.0M	20
A11-916C	9/16"	3/8"	Electro Galvanized	5.0M	20



B&C Eagle (c) 2018

3/8" CROWN x 5/16" LEG GALVANIZED

A11-516C

Made in China

5.0M/BOX

ENGINEERED TO FIT:

 B&C EAGLE
 US11116LMA, HT-11, HT-11H
 FASCO
 F1BA11-16

 ARROW
 HT-50,091-T50PBN,T50,T55C
 PREBENA
 HHPF09-S90

CRAFTSMAN C3

RAPID A-11

 DUO-FAST
 SLAPSHOP
 STANLEY
 PHT150C ,TRE550 ,TRE50

PLUS MOST OTHER A11/T-50 SERIES STAPLERS & HAMMER TACKERS

22 GAUGE 71 SERIES STAPLES



Primary Applications:

Roofing Felt, House Wrap, TV and Stereo Grille Cloth, Upholstery, Furniture Trim, Automotive Vinyl and Trim, Shoemaking, Mirror and Picture Frames, Bedding, Furniture Frames, Molding

Part Number	Size	Crown	Description	Qty/Box	Qty/Ctn
71/06	1/4"	3/8"	Electro Galvanized	10.0M	20
71/06SS-10M	1/4"	3/8"	Stainless Steel (S304)	10.0M	20
71/08	5/16"	3/8"	Electro Galvanized	10.0M	20
71/10	3/8"	3/8"	Electro Galvanized	10.0M	20
71/12	1/2"	3/8"	Electro Galvanized	10.0M	20

ENGINEERED TO FIT:

 B&C EAGLE
 US7116LMA
 SENCO
 SFW10XP-C

 BEA
 71 SERIES
 SPOTNAIL
 DS7116, JS7116

 FASCO
 F1B7C-16
 PORTER CABLE
 US58

GREX G7114E

PLUS MOST OTHER 71 SERIES FINE WIRE STAPLERS & HAMMER TACKERS



(c) 2018

22 GAUGE FINE WIRE 3/8" CROWN x 3/8" LEG GALVANIZED

71/10

Made in China

10.0M/BOX

STAP L WS



FINE WIRE STAPLES

STCR2619 SERIES STAPLES



Primary Applications:

Roofing Felt, House Wrap, TV and Stereo Grille Cloth, Upholstery, Furniture Trim, Automotive Vinyl and Trim, Shoemaking, Mirror and Picture Frames, Bedding, Furniture Frames, Molding

Part Number	Size	Crown	Description	Qty/Box	Qty/Ctn
STCR2619-14	1/4"	7/16"	Electro Galvanized	5.0M	50
STCR2619-516	5/16"	7/16"	Electro Galvanized	5.0M	50
STCR2619-38	3/8"	7/16"	Electro Galvanized	5.0M	50

ENGINEERED TO FIT:

BOSTITCH H30-6, T5-6, P6C-6

PLUS MOST OTHER STCR2619 SERIES STAPLERS & HAMMER TACKERS

STCR5019 SERIES STAPLES



Primary Applications:

Roofing Felt, House Wrap, TV and Stereo Grille Cloth, Upholstery, Furniture Trim, Automotive Vinyl and Trim, Shoemaking, Mirror and Picture Frames, Bedding, Furniture Frames, Molding

Part Number	Size	Crown	Description	Qty/Box	Qty/Ctn
STCR5019-14	1/4"	7/16"	Electro Galvanized	5.0M	20
STCR5019-38	3/8"	7/16"	Electro Galvanized	5.0M	20
STCR5019-12	1/2"	7/16"	Electro Galvanized	4.0M	20

ENGINEERED TO FIT:

BOSTITCH EHS300, EHS50, H30-8, P6C-6, PC1000, PC2K, PC4000, PC5000, T5-8, T6-8 **PLUS MOST OTHER STCR5019 SERIES STAPLERS & HAMMER TACKERS**

SHCR5019 SERIES STAPLES



Primary Applications:

Roofing Felt, House Wrap, TV and Stereo Grille Cloth, Upholstery, Furniture Trim, Automotive Vinyl and Trim, Shoemaking, Mirror and Picture Frames, Bedding, Furniture Frames, Molding

Part Number	Size	Crown	Description	Qty/Box	Qty/Ctn
SHCR5019-14	1/4"	7/16"	Electro Galvanized	5.0M	20
SHCR5019-38	3/8"	7/16"	Electro Galvanized	5.0M	20

ENGINEERED TO FIT:

BOSTITCH H2B

PLUS MOST OTHER SCHR5019 SERIES STAPLERS AND HAMMER TACKERS

20 GAUGE 80 SERIES STAPLES



Primary Applications:

Roofing Felt, House Wrap, TV and Stereo Grille Cloth, Upholstery, Furniture Trim, Automotive Vinyl and Trim, Shoemaking, Mirror and Picture Frames, Bedding, Furniture Frames, Molding, Insulation

Part Number	Size	Crown	Description	Qty/Box	Qty/Ctn
80/6 NR SS	1/4"	1/2"	Stainless Steel (S304)	10.0M	20
8008	5/16"	1/2"	Electro Galvanized	10.0M	20
8010	3/8"	1/2"	Electro Galvanized	10.0M	20
80/10 NR SS	3/8"	1/2"	Stainless Steel (S304)	20.0M	8
8012	1/2"	1/2"	Electro Galvanized	6.0M	18
80/12 NR SS	1/2"	1/2"	Stainless Steel (S304)	15.0M	8



B&C Eagle (c) 2018

7/16" CROWN x 3/8" LEG POWER CROWN GALV.

STCR2619-38

Made in China

5.0M/BOX



S

T



B&C Eagle (c) 2018

7/16" CROWN x 1/4" LEG POWER CROWN GALV.

STCR5019-14

Made in China

5.0M/BOX






B&C Eagle (c) 2018

7/16" CROWN x 3/8" LEG POWER CROWN GALV.

SHCR5019-38

Made in China

5.0M/BOX





B&C Eagle (c) 2018

20 GAUGE FINE WIRE 1/2" CROWN x 5/16" LEG GALVANIZED

8008

Made in China

10.0M/BOX



ENGINEERED TO FIT:



FLOORING STAPLES / CLEATS

20GA 97 SERIES FLOORING



Primary Applications:

Laminate Hardwood Flooring

Part Number	Size	Crown	Description	Qty/Box	Qty/Ctn
97/25	1"	3/16"	Electro Galvanized	5M	20

ENGINEERED TO FIT:

BOSTITCH LHF97/25-2, LHF2025K PORTA NAILS 475

BEA 97/25-550

PLUS MOST OTHER 97 SERIES FLOORING STAPLERS



15GA 1/2" CROWN FLOOR STAPLES



Primary Applications:

Hardwood Flooring

Part Number	Size	Crown	Description	Qty/Box					
BCS-1512	1-1/2"	1/2"	Electro Galvanized	10.0M					
BCS-1514	1-3/4"	1/2"	Electro Galvanized	5.0M					
BCS-1516	2"	1/2"	Electro Galvanized	5.0M					
	CONSUMER PACKS								
ABCS-1516	2"	1/2"	Electro Galvanized	1.0M					

ENGINEERED TO FIT:

APACH	MFS-50		GRIZZLY		H5977	
BESCO	MFS 50		HIGHPRO)	FS50	
BOSTITCH	MIIIFS		HITACHI		N5009AF	
DUO-FAST	FM 200-S		PORTA N	IAILS	472	
EAGLE	FS-50		POWERN	IAIL	445FS	
GREX	MS1250		PRIMATE	СН	P220, P260	
GRIP-RITE	GR200FS		SPOTNA	IL	FS7550, MS7	564
PLUS MOST	OTHER 1/2"	CRN	15GA, FLO	ORING	STAPLERS	



FLOORING L-CLEATS



Primary Applications: Hardwood Flooring

Part Number	Size	Description	Qty/Box Qty/Ctn
LC-112	1-1/2"	Electro Galvanized	1.0M 14
LC-134	1-3/4"	Electro Galvanized	1.0M 12
LC-2	2"	Electro Galvanized	1.0M 10

ENGINEERED TO FIT:

BESCO	MFN 50	HIGHPRO	LFN50
BOSTITCH	MFN200, MFN201, MIIIFN	PORTA-NAILS	470
DUO-FAST	FM 200-C	PORTER CABLE	FCN200
EAGLE	LFN-50	POWERNAIL	445, 45R
GRIP-RITE	GR200LCN	PRIMATECH	H330, P210, P240
GRIZZLY	H7826	SENCO	SHF15, SHF50
PLUS MOST	TOTHER L-CLEAT FLOORING	NAILERS	





COLLATED SCREWS

B&C Eagle collated screws are engineered to fit most collated screw tools from manufacturers such as:

DuraSpin, Grabber, Hilti, Hitachi, Makita, Milwaukee, Pam, Senco, Tyrex and more. Please consult your owner's manual for length and bit requirements.

PREMIUM EXTERIOR SCREWS 1000hr E-COAT



Type-17 Point

#2 Square





B&C Eagle collated exterior wood screws are used for a wide variety of interior and exterior applications from decking to flooring. They use a #2 square bit to reduce bit stripping and a sharp Type-17 point for easy starting and effortless drilling. These screws are coated by PPG Industries with a Grey Electro-Polyseal coating. PPG Industries Electro-Polyseal coating is superior to other types of coating because it allows for a thinner coat while still maintaining over 1,000 hours of salt spray protection. The thinner coating provided by PPG also eliminates recess and thread fill so you know your bit will always fit securely. The coating is extremely durable in all-weather applications and will not chip or rub off. PPG coating is rated for use in treated lumber. Each strip contains 50 screws.

Primary Applications: General Purpose Exterior Wood to Wood, Dock and Deck, Fence

Part Number	Size	Description	Qty/Box
CS8X212EXT	#8 x 2-1/2"	PPG Premium 1000hr E-Coat	1.0M
CS8X3EXT	#8 x 3"	PPG Premium 1000hr E-Coat	1.0M







COLLATED SUBFLOOR SCREWS YELLOW ZINC COATED

#2 Square or T-25 Star

> Type-17 Point





B&C Eagle yellow zinc subfloor screws are mainly used for flooring and general construction purposes. The Yellow Zinc coating provides a small amount of corrosion protection but is recommended for interior use only where little moisture will be present. These screws use a #2 square bit to reduce bit stripping and a Type-17 point for easy starting and quick effortless drilling. For use in wood to wood applications only, not for use in treated lumber. Each strip contains 50 screws.

Primary Applications: Interior Wood to Wood, Subfloor

Part Number	Size	Head	Description	Qty/Box
CS8X134YZ	#8 x 1-3/4"	#2 Square	Yellow Zinc	1.0M
CS8X134YZT25	#8 x 1-3/4"	T-25 Star	Yellow Zinc	1.0M
CS8X2YZ	#8 x 2"	#2 Square	Yellow Zinc	1.0M
CS8X2YZT25	#8 x 2"	T-25 Star	Yellow Zinc	1.0M
CS8X212YZ	#8 x 2-1/2"	#2 Square	Yellow Zinc	1.0M
CS8X3YZT25	#8 x 3"	T-25 Star	Yellow Zinc	1.0M

COLLATED FINE/COARSE DRYWALL SCREWS

#2 Phillips

Type-A Point





B&C Eagle collated drywall screws have a sharp Type-A point for quick starting and effortless drilling. These screws are for interior use only and should not be used in treated lumber. Each strip contains 50 screws.

Primary Applications: Drywall to Wood (Coarse thread), Sheet metal (Fine thread), General Construction

Part Number	Size	Description	Qty/Box
CS6X114DW	#6 x 1-1/4"	Phosphate Coated Coarse	1.0M
CS6X114DWFT	#6 x 1-1/4"	Phosphate Coated Fine Thread	1.0M
CS6X158DW	#6 x 1-5/8"	Phosphate Coated Coarse	1.0M
CS6X158DWFT	#6 x 1-5/8"	Phosphate Coated Fine Thread	1.0M



The B&C Eagle SN22160 timber nailer (below) shoots nails from 4" to 6-1/4"! Stop pounding the nails yourself and checkout this new tool. American Fastening System now also carries a full line of compatible fasteners.



Features

- Uses 4" 6-1/4" nails listed
- Front facing exhaust
- Comfortable rubber grip

Specifications

• Weight: 15.1lbs • Dimensions (LxHxW): 22.4" x 5.7" x 21.2" • Operating Pressure: 80-120psi • Fastener Capacity: 56


518X148S/22 High capacity top load magazine 614X162/22 Tool free adjustable depth of drive 614X162HDS/22 6-1/4" Side handle for stability 614X162S/22

Primary Applications: Pole building Timber framing Part Number Size **Shank Description** Qty/Box 4X131HDR/22 4" Hot Dip Galv. Ring Shank .131 1.8M 4X131RSS/22 4" .131 Stainless Steel Ring Shank 1.8M 4X148HDR/22 4" .148 Hot Dip Galv. Ring Shank 1.8M 4X148R/22 4" .148 **Bright Ring Shank** 1.8M 412X148R/22 4-1/2" .148 **Bright Ring Shank** 1.8M 518X148/22 5-1/8" .148 **Bright Smooth Shank** 1.8M 518X148HDS/22 5-1/8" .148 Hot Dip Galv. Screw Shank 1.8M

B&C EAGLE 22° TIMBER FRAMING NAILS

CN75 — 15° COIL SIDING / FRAMING NAILER





Features

- Uses plastic and wire coil nails (See pg. 7 & 8)
- Tool free adjustable depth of drive
- Selectable Bump Fire & Sequential Fire Mode
- Contoured rubber comfort grip handle
- Adjustable exhaust deflector (tool free 360°)
- No mar tip, Easy loading magazine
- Lightweight magnesium housing

Specifications

- Weight: 6.4lbs Dimensions (LxHxW): 12.2" x 12.4" x 5.2"
- Operating Pressure: 80-120psi Fastener Capacity: 200-300

CN90F — 15° COIL FRAMING NAILER


Bright Screw Shank

Bright Screw Shank

Bright Smooth Shank

Hot Dip Galv. Screw Shank





1.8M

1.0M

1.0M

1.0M

Features

5-1/8"

6-1/4"

6-1/4"

.148

.162

.162

.162

- Uses wire coil nails (See pg. 7, orange label)
- Tool free adjustable depth of drive
- Selectable trigger for sequential or contact trip fire
- No mar tip, Belt hook, Rubber comfort grip handle
- Adjustable exhaust deflector (tool free 360°)
- Open nose for easy jam clear
- Lightweight magnesium housing

- Weight: 6.7lbs Dimensions (LxHxW): 15.2" x 14.5" x 5.6"
- Operating Pressure: 80-120psi Fastener Capacity: 150-300



SN3490 — 33° PAPER TAPE FRAMING NAILER



Features

- Uses red label paper tape nails (See pg. 5)
- Rear load magazine / Stowable rafter hook
- Selectable trigger for sequential or contact trip fire
- Built in air filter / Lightweight aluminum housing
- Tool free adjustable depth of drive / Toe nail safety
- Adjustable exhaust deflector (tool free 360°)

Specifications

- Weight: 8.0lbs Dimensions (LxHxW): 18" x 13.5" x 4.75"
- Operating Pressure: 70-120psi Fastener Capacity: 87

SN2290 — 22° PLASTIC STRIP FRAMING NAILER



Features

- Uses green label plastic strip nails (See pg. 6)
- Rear load magazine / Stowable rafter hook
- Selectable trigger for sequential or contact trip fire
- Built in air filter
- Lightweight aluminum housing
- Tool free adjustable depth of drive / Toe nail safety
- Adjustable exhaust deflector (tool free 360°)

Specifications

- Weight: 7.4lbs Dimensions (LxHxW): 17.5" x 14" x 4.75"
- Operating Pressure: 70-120psi Fastener Capacity: 66

SN2890 — 28° WIRE WELD FRAMING NAILER



Features

- Uses yellow label wire collated nails (See pg. 7)
- Rear load magazine / Stowable rafter hook
- Selectable trigger for sequential or contact trip fire
- · Built in air filter / Lightweight aluminum housing
- Tool free adjustable depth of drive / Toe nail safety
- Adjustable exhaust deflector (tool free 360°)

Specifications

- Weight: 7.7lbs Dimensions (LxHxW): 18.5" x 14" x 4.75"
- Operating Pressure: 70-120psi Fastener Capacity: 75

MC150 — HEAVY DUTY JOIST HANGER NAILER




Features

- Uses red label paper tape joist hanger nails (See pg. 5)
- Compact design
- Full comfort grip
- Rear loading magazine
- Low nail lockout
- Exposed nail tip for easy placement
- Lightweight magnesium housing

- Weight: 5.0lbs Dimensions (LxHxW): 12" x 11.5" x 3.5"
- Operating Pressure: 100-120psi Fastener Capacity: 30



MS1650 — 16GA. MEDIUM 7/16" CROWN STAPLER




Features

- Uses red label medium crown staples (See pg. 12)
- Rubber comfort grip
- Top loading magazine
- Adjustable exhaust deflector (tool free 360°)
- Quick clear nose
- Lightweight magnesium housing

Specifications

- Weight: 4.4lbs Dimensions (LxHxW): 14.0" x 11" x 3"
- Operating Pressure: 70-120psi Fastener Capacity: 150

CN45R - 15° COIL ROOFING NAILER




Features

- Uses purple label coil roofing nails (See pg. 8)
- Built in air filter / Tool free adjustable depth of drive
- Selectable trigger for sequential or contact trip fire
- · Patented nail guide assures straight fastener driving
- Carbide inserts in nose for long life performance
- Adjustable exhaust deflector (tool free 360°)
- Casting Wear Protection with anti-skid pads
- · Open nose for easy jam clearing
- Lightweight magnesium housing

Specifications

- Weight: 4.8lbs Dimensions (LxHxW): 10.5" x 10.5" x 4.5"
- Operating Pressure: 70-120psi Fastener Capacity: 120

MS1650P — 16GA. MEDIUM 1/2" CROWN STAPLER




Features

- Uses blue label medium crown staples (See pg. 12)
- · Rubber comfort grip
- · Top loading magazine
- Adjustable exhaust deflector (tool free 360°)
- Quick clear nose
- · Lightweight magnesium housing

Specifications

- Weight: 4.4lbs Dimensions (LxHxW): 14.0" x 11" x 3"
- Operating Pressure: 70-120psi Fastener Capacity: 150

CN65SP — 15° SIDING NAILER, WIRE & PLASTIC



Features

- Uses plastic and wire coil nails (See pg. 7 & 8)
- Tool free adjustable depth of drive
- Selectable trigger for sequential or contact trip fire
- No mar tip
- Belt Hook
- Rubber comfort grip handle
- Adjustable exhaust deflector (tool free 360°)
- Open nose for easy jam clear
- · Lightweight magnesium housing

- Weight: 4.8lbs
 Dimensions (LxHxW): 10.5" x 12" x 5"
- Operating Pressure: 70-120psi
- Fastener Capacity: 250 plastic coil / 400 wire coil



BN1855 — 18 GAUGE STRAIGHT BRAD NAILER



Features

- Uses green label 18 gauge brad nails (See pg. 10)
- · Tool free adjustable depth of drive
- · Fastener sight gauge
- Selectable trigger for sequential or contact trip fire
- Rear exhaust with built in muffler
- Quick clear nose / Belt hook
- · Contoured rubber comfort grip
- · Lightweight aluminum housing
- Plastic carry case

Specifications

- Weight: 2.5lbs Dimensions (LxHxW): 9.5" x 10" x 2.5"
- Operating Pressure: 70-120psi Fastener Capacity: 100

FN1664 — 16 GAUGE STRAIGHT FINISH NAILER



Features

- Uses blue label 16 gauge finish nails (See pg. 10)
- Tool free adjustable depth of drive
- Selectable trigger for sequential or contact trip fire
- No mar tip / Belt hook
- Lightweight aluminum housing
- Adjustable exhaust deflector (tool free 360°)
- · Quick clear nose for easy jam clearing
- Rear load magazine / Plastic carry case

Specifications

- Weight: 3.7lbs Dimensions (LxHxW): 10.75" x 11.8" x 3.9"
- Operating Pressure: 70-120psi Fastener Capacity: 104

FN1564 — 15 GAUGE ANGLE FINISH NAILER




Features

- Uses black label 15GA angle finish nails (See pg. 11)
- · Tool free adjustable depth of drive
- Selectable trigger for sequential or contact trip fire
- No mar tip / Belt hook
- Lightweight magnesium housing
- Adjustable exhaust deflector (tool free 360°)
- · Quick clear nose for easy jam clearing
- Rear load magazine
- Plastic carry case

Specifications

- Weight: 4.0lbs Dimensions (LxHxW): 12.8" x 12" x 3.75"
- Operating Pressure: 70-120psi Fastener Capacity: 100

NS1840-II — 1/4" NARROW CROWN STAPLER



Features

- Uses grey label 18GA 1/4" CRN staples (See pg. 14)
- · Tool free adjustable depth of drive
- Fastener sight gauge
- Selectable trigger for sequential or contact trip fire
- Rear exhaust with built in muffler
- Plastic carry case
- Contoured rubber comfort grip / Belt hook
- Lightweight aluminum housing

- Weight: 2.6lbs Dimensions (LxHxW): 10.5" x 10" x 2.5"
- Operating Pressure: 70-120psi Fastener Capacity: 100



PNEUMATIC & HAND TOOLS

HP2335 — 23 GAUGE HEADLESS PINNER



Features

- Uses 23 gauge pins (call for availability)
- Side load magazine
- No mar tip
- Built in air filter
- Comfortable rubber grip
- Lightweight aluminum housing

Specifications

- Weight: 1.0lbs Dimensions (LxHxW): 9.5" x 6.4" x 1.7"
- Operating Pressure: 60-100psi Fastener Capacity: 150



HT-550 — 5000 SERIES HAMMER TACKER



Features

- Uses 1/2" crown 5000 series staples (See pg. 15)
- Quick Loading Magazine / Tool free jam clearing
- Comfortable rubber grip / Balanced Engineered

Specifications

- Weight: 1.9lbs Dimensions (Length): 12"
- Fastener Capacity: 168 (Approx.)

HT-550H — 5000 SERIES HD HAMMER TACKER



Features

- Uses 1/2" crown 5000 series staples (See pg. 15)
- Quick Loading Magazine / Tool free jam clearing
- Comfortable rubber grip / Balanced Engineered
- Heavy Duty Construction

Specifications

- Weight: 2.3lbs Dimensions (Length): 12"
- Fastener Capacity: 168 (Approx.)

HT-11 — A11/T-50 SERIES HAMMER TACKER



Features

- Uses 3/8" crown A11/T-50 staples (See pg. 15)
- Quick Loading Magazine / Tool free jam clearing
- Comfortable rubber grip / Balanced Engineered

- Weight: 1.9lbs Dimensions (Length): 12"
- Fastener Capacity: 168 (Approx.)



LMA—LONG MAG AUTO FIRE STAPLERS



Features

- Extra long magazine holds more fasteners
- Variable speed auto fire
- Bottom load magazine, Built in air filter
- Comfortable rubber grip, lightweight aluminum housing

Specifications

- Weight: 3.0lbs Dimensions (LxHxW): 15" x 1.6" x 6.4"
- Operating Pressure: 65-100psi Fastener Capacity: 275

US1116LMA-A11 SERIES 1/4" to 9/16"



Primary Applications:

Roofing Felt, House Wrap, TV and Stereo Grille Cloth, Upholstery, Furniture Trim, Automotive Vinyl and Trim, Shoemaking, Mirror and Picture Frames, Bedding, Furniture Frames, Molding

Part Number	Size	Crown	Description	Qty/Box	Qty/Ctn
A11-14C	1/4"	3/8"	Electro Galvanized	5.0M	20
A11-516C	5/16"	3/8"	Electro Galvanized	5.0M	20
A11-38C	3/8"	3/8"	Electro Galvanized	5.0M	20
A11-12C	1/2"	3/8"	Electro Galvanized	5.0M	20
A11-916C	9/16"	3/8"	Electro Galvanized	5.0M	20

US5016LMA-5000 SERIES 1/4" to 9/16"



Primary Applications:

Roofing Felt, House Wrap, TV and Stereo Grille Cloth, Upholstery, Furniture Trim, Automotive Vinyl and Trim, Shoemaking, Mirror and Picture Frames, Bedding, Furniture Frames, Molding

Part Number	Size	Crown	Description	Qty/Box	Qty/Ctn
508C	1/4"	1/2"	Electro Galvanized	5.0M	20
5010C	5/16"	1/2"	Electro Galvanized	5.0M	20
5012C	3/8"	1/2"	Electro Galvanized	5.0M	20
5016C	1/2"	1/2"	Electro Galvanized	5.0M	15
5018C	9/16"	1/2"	Electro Galvanized	5.0M	15

US7116LMA-71 SERIES 1/4" to 5/8"



Primary Applications:

Roofing Felt, House Wrap, TV and Stereo Grille Cloth, Upholstery, Furniture Trim, Automotive Vinyl and Trim, Shoemaking, Mirror and Picture Frames, Bedding, Furniture Frames, Molding

Part Number	Size	Crown	Description	Qty/Box	Qty/Ctn
71/06	1/4"	3/8"	Electro Galvanized	10.0M	20
71/06SS-10M	1/4"	3/8"	Stainless Steel (S304)	10.0M	20
71/08	5/16"	3/8"	Electro Galvanized	10.0M	20
71/10	3/8"	3/8"	Electro Galvanized	10.0M	20
71/12	1/2"	3/8"	Electro Galvanized	10.0M	20

US8016LMA-80 SERIES 1/4" to 5/8"



Primary Applications:

Roofing Felt, House Wrap, TV and Stereo Grille Cloth, Upholstery, Furniture Trim, Automotive Vinyl and Trim, Shoemaking, Mirror and Picture Frames, Bedding, Furniture Frames, Molding, Insulation

Part Number	Size	Crown	Description	Qty/Box	Qty/Ctn
80/6 NR SS	1/4"	1/2"	Stainless Steel (S304)	10.0M	20
8008	5/16"	1/2"	Electro Galvanized	10.0M	20
8010	3/8"	1/2"	Electro Galvanized	10.0M	20
80/10 NR SS	3/8"	1/2"	Stainless Steel (S304)	20.0M	8
8012	1/2"	1/2"	Electro Galvanized	6.0M	18
80/12 NR SS	1/2"	1/2"	Stainless Steel (S304)	15.0M	8



We offer a wide range of screws in 1lb and 5lb buckets, along with bulk boxes. We have planogram offerings from 4ft to 16ft ready to ship. We can tailor any WoodPro planogram for each unique market. If a specific fastener does not perform well in your market, we'll fill the planogram with a fastener that does. Our packaging has a bright full color label and transparent plastic so your customers know what's in the bucket before they make a purchase.



PPG E-COAT, WHY IT'S BETTER

PPG E-Coat is superior to other types of coating because it allows for a thinner coat while still maintaining over 1,000 hours of salt spray protection. The thinner coating provided by PPG also eliminates recess and thread fill so you know your bit will always fit securely. The coating is extremely durable in all weather applications and will not chip or rub off. PPG coating is rated for use in treated lumber.





WOOD PRO

SCREWS













All WoodPro bits are 50mm length and are offered in two packs or a 5 piece multi pack with plastic holder.

ITEM NUMBER	COLOR	SIZE
BIT-T10X50GLD	GOLD	T-10
BIT-T15X50RED	RED	T-15
BIT-T20X50PUR	PURPLE	T-20
BIT-T25X50GRE	GREEN	T-25
BIT-T30X50BLK	BLACK	T-30
BIT-50MM-5PK	ALL	1 EA

CABINET SCREWS (INTERIOR/EXTERIOR)





WoodPro Cabinet Screws are coated by PPG Industries with a superior 1,000 hour Electro-Polyseal coating for consistent layering that prevents recess fill while offering superior corrosion protection. The secure STAR drive helps reduce bit slippage and a sharp Type-17 point provides quick starting and effortless drilling.

SIZE	BIT	POINT	COLOR	1LB SKU	5LB SKU	BULK SKU
#8 x 1-3/4"	#20 Star	Type-17	Golden	CB8X134-1	CB8X134-5	N/A
#8 x 2-3/4"	#20 Star	Type-17	Golden	CB8X234-1	CB8X234-5	N/A
#8 x 3-1/8"	#20 Star	Type-17	Golden	CB8X318-1	CB8X318-5	N/A



ALL PURPOSE SCREWS (INTERIOR/EXTERIOR)







WoodPro All Purpose Screws are coated by PPG Industries with a superior 1,000 hour Electro-Polyseal coating for consistent layering that prevents recess fill while offering superior corrosion protection. The secure STAR drive helps reduce bit slippage and a sharp Type-17 point provides quick starting and effortless drilling. Special nibs under the head provide a clean countersink in all types of material. For interior and exterior use.

SIZE	BIT	POINT	COLOR	1LB SKU	5LB SKU	BULK SKU
#8 x 1-1/4"	#20 Star	Type-17	Golden	AP8X114-1	AP8X114-5	AP8X114-5M
#8 x 1-1/2"	#20 Star	Type-17	Golden	AP8X112-1	AP8X112-5	AP8X112-5M
#9 x 1-1/2"	#25 Star	Type-17	Golden	AP9X112-1	AP9X112-5	AP9X112-2M
#8 x 2"	#20 Star	Type-17	Golden	AP8X2-1	AP8X2-5	AP8X2-3.5M
#9 x 2"	#25 Star	Type-17	Golden	AP9X2-1	AP9X2-5	AP9X2-2M
#9 x 2-1/2"	#25 Star	Type-17	Golden	AP9X212-1	AP9X212-5	AP9X212-2M
#10 x 2-1/2"	#25 Star	Type-17	Golden	N/A	AP10X212-5	AP10X212-1.5M
#9 x 2-3/4"	#25 Star	Type-17	Golden	AP9X234-1	AP9X234-5	AP9X234-2M
#9 x 3-1/8"	#25 Star	Type-17	Golden	AP9X318-1	AP9X318-5	AP9X318-1M
#10 x 3-1/8"	#25 Star	Type-17	Golden	N/A	AP10X318-5	AP10X318-1M
#9 x 3-1/2"	#25 Star	Type-17	Golden	AP9X312-1	AP9X312-5	AP9X312-1M
#10 x 3-1/2"	#25 Star	Type-17	Golden	N/A	AP10X312-5	AP10X312-1M
#10 x 4"	#25 Star	Type-17	Golden	AP10X4-1	AP10X4-5	AP10X4-1M
	LANIA		IIDDA			RATED FOR USE IN

LONG ALL PURPOSE (INTERIOR/EXTERIOR)





				•	TREATED LUMBER
SIZE	Bit	POINT	COLOR	50 Piece SKU	BULK SKU
#10 x 4-3/4"	#25 Star	Type-17	Golden	AP10X434-50	AP10X434-800
#12 x 5-5/8"	#25 Star	Type-17	Golden	AP12X558-50	AP12X558-600
#12 x 6-3/8"	#25 Star	Type-17	Golden	AP12X638-50	AP12X638-1M
#12 x 7-1/4"	#25 Star	Type-17	Golden	AP12X714-50	N/A
#12 x 8"	#25 Star	Type-17	Golden	AP12X8-50	N/A
#12 x 10"	#25 Star	Type-17	Golden	AP12X10-50	N/A
#12 x 12"	#25 Star	Type-17	Golden	AP12X12-50	N/A

PHOSPHATE COATED DRYWALL SCREWS (INTERIOR)



WoodPro Drywall Screws are phosphate coated and offer minimal corrosion protection. Our Drywall screws feature a coarse thread that helps prevent pop-out. A sharp Type-A point aids in quick starting and effortless drilling. These screws are for interior use only and should not be used in treated lumber.

SIZE	BIT	POINT	COLOR	1LB SKU	5LB SKU	BULK SKU
#6 X 1"	#2 Philips	Type-A	Grey/Black	DWPC6X1-1	DWPC6X1-5	DWPC6X1-10M
#6 X 1-1/4"	#2 Philips	Type-A	Grey/Black	DWPC6X114-1	DWPC6X114-5	DWPC6X114-8M
#6 X 1-1/4" (Fine Thread)	#2 Philips	Type-A	Grey/Black	N/A	N/A	DWFT6X114-8M
#6 x 1-5/8"	#2 Philips	Type-A	Grey/Black	DWPC6X158-1	DWPC6X158-5	DWPC6X158-5M
#6 x 1-5/8" (Fine Thread)	#2 Philips	Type-A	Grey/Black	N/A	N/A	DWFT6X158-5M
#6 x 2"	#2 Philips	Type-A	Grey/Black	DWPC6X2-1	DWPC6X2-5	DWPC6X2-3.5M
#8 x 2-1/2"	#2 Philips	Type-A	Grey/Black	DWPC8X212-1	DWPC8X212-5	DWPC8X212-2.5M
#8 x 3"	#2 Philips	Type-A	Grey/Black	DWPC8X3-1	DWPC8X3-5	DWPC8X3-2M



WASHER HEAD SCREWS (INTERIOR/EXTERIOR)







WoodPro Washer Head Screws are coated by PPG Industries with an industry leading 1,500 hour Electro-Polyseal coating for consistent layering that prevents recess fill while offering superior corrosion protection. The stronger PPG coating helps prevent chipping for added exterior corrosion protection. The secure STAR drive helps reduce bit slippage and a sharp Type-17 point with a patented ASTER thread provides guick starting and effortless drilling.

SIZE	BIT	POINT	COLOR	25/50PC SKU	250PC SKU
1/4 X 1-1/2"	#25 Star	Type-17	Golden	ST14X112-50PC	ST14X112B
1/4 X 2"	#25 Star	Type-17	Golden	ST14X2-50PC	ST14X2B
1/4 X 2-1/2"	#25 Star	Type-17	Golden	ST14X212-50PC	ST14X212B
1/4 X 3-1/8"	#25 Star	Type-17	Golden	ST14X318-50PC	ST14X318B
1/4 X 3-1/2"	#25 Star	Type-17	Golden	ST14X312-50PC	ST14X312B
5/16 X 2-1/2"	#30 Star	Type-17	Golden	ST516X212-25PC	ST516X212B
5/16 X 3-1/8"	#30 Star	Type-17	Golden	ST516X318-25PC	ST516X318B
5/16 X 3-1/2"	#30 Star	Type-17	Golden	ST516X312-25PC	ST516X312B
5/16 X 4"	#30 Star	Type-17	Golden	ST516X4-25PC	ST516X4B
5/16 X 5-1/8"	#30 Star	Type-17	Golden	ST516X518-25PC	ST516X518B
5/16 X 6"	#30 Star	Type-17	Golden	ST516X6-25PC	ST516X6B
3/8 X 7-1/4"	#30 Star	Type-17	Golden	ST38X714-25PC	ST38X714B
3/8 X 8"	#30 Star	Type-17	Golden	ST38X8-25PC	ST38X8B
3/8 X 10"	#30 Star	Type-17	Golden	ST38X10-25PC	ST38X10B

TRIM HEAD SCREWS (INTERIOR/EXTERIOR)







WoodPro Trim Head Screws are coated by PPG Industries with a superior 1,000 hour Electro -Polyseal coating for consistent layering that prevents recess fill while offering superior corrosion protection. The secure STAR drive helps reduce bit slippage and a sharp Type-17 point provides quick starting and effortless drilling. The small head and thin shank are designed to prevent mushrooming and help conceal the fastener. For interior and exterior

SIZE	BIT	POINT	COLOR	1LB SKU	5LB SKU	BULK SKU
#7 x 1-1/2"	#10 Star	Type-17	Golden	TH7X112-1	TH7X112-5	N/A
#7 x 2"	#10 Star	Type-17	Golden	TH7X2-1	TH7X2-5	N/A
#7 x 2" (MAGNI Coating)	#10 Star	Type-17	White	TH7X2W-1	N/A	N/A
#7 x 2-1/2"	#10 Star	Type-17	Golden	TH7X212-1	TH7X212-5	N/A
#7 x 2-1/2" (MAGNI Coating)	#10 Star	Type-17	White	TH7X212W-1	N/A	N/A
#7 x 3-1/8"	#10 Star	Type-17	Golden	TH7X318-1	TH7X318-5	N/A
#7 x 3-1/8" (MAGNI Coating)	#10 Star	Type-17	White	TH7X318W-1	N/A	N/A
#9 x 3"	#15 Star	Type-17	Golden	TH9X3-1	TH9X3-5	N/A











COMPOSITE DECK SCREWS (EXTERIOR)

RATED FOR USE IN ACQ TREATED LUMBER



WoodPro Composite Deck Screws are coated by PPG Industries with a superior 1,000 hour Electro-Polyseal coating for consistent layering that prevents recess fill while offering superior corrosion protection. The secure STAR drive helps reduce bit slippage and a sharp Type-17 point provides quick starting and effortless drilling. Dual threads prevent mushrooming while the color matched PPG coating conceals the fastener.

SIZE	BIT	POINT	COLOR	1LB SKU	5LB SKU	BULK SKU
#10 x 2-1/2"	#20 Star	Type-17	Tan	CD10X212T-1	CD10X212T-5	N/A
#10 x 2-1/2"	#20 Star	Type-17	Grey	CD10X212G-1	CD10X212G-5	N/A
#10 x 2-1/2" (MAGNI Coating)	#20 Star	Type-17	Rustic Red	CD10X212RR-1	CD10X212RR-5	N/A
#10 x 2-1/2"	#20 Star	Type-17	Brown	CD10X212B-1	CD10X212B-5	N/A

MODIFIED TRUSS HEAD SCREWS (INTERIOR)



WoodPro Modified Truss Head screws are zinc coated with a self-tapping point that easily drives into 20-25 gauge steel studs.

SIZE	BIT	POINT	COATING	1LB SKU	5LB SKU	BULK SKU
#8 x 1/2"	#2 Phillips	Self-Tapping	Zinc	N/A	MT8X12-5	N/A





NAILS

We offer a wide range of hand driven nails in 1lb and 5lb boxes, 30lb plastic buckets and 50lb bulk boxes. We have planogram offerings from 4ft to 16ft ready to ship. We can tailor any WoodPro planogram for each unique market. If a specific fastener does not perform well in your market, we'll fill the planogram with a fastener that does. All WoodPro packaged nails meet or exceed all applicable ASTM codes.

COATING INFORMATION

Bright Finish — For interior use where no corrosion protection is needed. Not for use in ACQ or other treated lumber. Meets or exceeds all ASTM specifications, when applicable.


Electro Galvanized (EG) — Minimal corrosion protection for use in areas that need mild corrosion protection. Not for use in treated lumber. Meets or exceeds all ASTM standards for zinc coating weight when applicable.

Hot Dip Galvanized (HDG) — Premium corrosion protection, acceptable for use in ACQ and other types of treated lumber. Meets or exceeds all ASTM standards for zinc coating weight when applicable.

EG ROOFING							
SIZE	1LB SKU	5LB SKU	30LB SKU	50LB SKU			
1"	BR1-1	BR1-5	BR1-30	BR1-50			
1-1/4"	BR114-1	BR114-5	BR114-30	BR114-50			
1-1/2"	BR112-1	BR112-5	BR112-30	BR112-50			
1-3/4"	BR134-1	BR134-5	BR134-30	BR134-50			
2"	BR2-1	BR2-5	BR2-30	BR2-50			
2-1/2"	BR212-1	BR212-5	BR212-30	BR212-50			
3"	BR3-1	BR3-5	BR3-30	BR3-50			

EG PLASTIC CAP RING SHANK						
SIZE 1LB SKU BULK SKU						
1"	PC1-1	PC1-2M				
1-1/4"	PC114-1	PC114-2M				
1-1/2"	PC112-1	PC112-2M				
2"	PC2-1	PC2-2M				
2-1/2"	PC212-1	PC212-2M				
3"	PC3-1	PC3-2M				

HOT DIP GALVANIZED ROOFING						
		 				
SIZE	1LB SKU	5LB SKU	30LB SKU	50LB SKU		
1"	N/A	N/A	N/A	BRHD1-50		
1-1/4"	N/A	N/A	N/A	BRHD114-50		
1-1/2"	N/A	N/A	N/A	BRHD112-50		
1-3/4"	N/A	N/A	N/A	BRHD134-50		
2"	N/A	N/A	N/A	BRHD2-50		
2-1/2"	N/A	N/A	N/A	BRHD212-50		
3"	N/A	N/A	N/A	BRHD3-50		



DRYWALL NAILS						
SIZE 5LB SKU 50LB SKU NOTES						
1-5/8"	DWPCAT158-5	DWPCAT158-50	Bright, Annular Thread			
1-5/8"	DWPC158-5	DWPC158-50	Phosphate Coated			

WOOD PRO

NAILS

HOT DIP GALVANZED BOX NAILS

SIZE

3d

4d

5d

6d

7d

10d

16d

20d

BXHD16-1

N/A

1LB SKU **5LB SKU** 30LB SKU **50LB SKU** BXHD3-5 BXHD3-1 BXHD3-30 BXHD3-50 BXHD4-1 BXHD4-5 BXHD4-30 BXHD4-50 N/A N/A N/A BXHD5-50 BXHD6-1 BXHD6-5 BXHD6-30 BXHD6-50 BXHD7-1 BXHD7-5 BXHD7-30 BXHD7-50 BXHD8-1 BXHD8-5 BXHD8-30 **BXHD8-50** N/A N/A N/A BXHD10-50

BXHD16-30

N/A


BXHD16-50

BXHD20-50

HOT DIP GALVANIZED JOIST HANGER

BXHD16-5

N/A



SIZE	1LB SKU	5LB SKU	30LB SKU	50LB SKU
1-1/4"	JHHD114-1	JHHD114-5	N/A	JHHD114-50
1-1/2"	JHHD112-1	JHHD112-5	N/A	JHHD112-50

HOT DIP GALVANIZED CASING NAILS



SIZE	1LB SKU	5LB SKU	30LB SKU	50LB SKU
8d	CSHD8-1	CSHD8-5	CSHD8-30	CSHD8-50
10d	N/A	N/A	N/A	CSHD10-50
16d	CSHD16-1	CSHD16-5	CSHD16-30	CSHD16-50

HD GALVANIZED RING POLE BARN



SIZE	5LB SKU	30LB SKU	50LB SKU
20d	PBHDR20-5	PBHDR20-30	PBHDR20-50
40d	PBHDR40-5	PBHDR40-30	PBHDR40-50
60d	PBHDR60-5	PBHDR60-30	PBHDR60-50

HOT DIP GALVANIZED MASONRY

 SIZE
 1LB SKU
 5LB SKU
 30LB SKU
 50LB SKU

 8d
 HCMHD8-1
 HCMHD8-5
 HCMHD8-30
 HCMHD8-50

BRIGHT FINISH					
SIZE	1LB SKU	5LB SKU	30LB SKU	50LB SKU	
4d	FN4-1	FN4-5	FN4-30	FN4-50	
6d	FN6-1	FN6-5	FN6-30	FN6-50	
8d	FN8-1	FN8-5	FN8-30	FN8-50	
16d	FN16-1	FN16-5	FN16-30	FN16-50	

DRIGHT DUPLEX						
SIZE	1LB SKU	5LB SKU	30LB SKU	50LB SKU		
6d	N/A	N/A	N/A	DP6-50		
8d	DP8-1	DP8-5	DP8-30	DP8-50		
10d	DP10-1	DP10-5	DP10-30	DP10-50		
16d	DP16-1	DP16-5	DP16-30	DP16-50		

BRIGHT COMMON

SIZE	1LB SKU	5LB SKU	30LB SKU	50LB SKU	
6d	N/A	N/A	N/A	CM6-50	
8d	CM8-1	CM8-5	CM8-30	CM8-50	
12d	N/A	N/A	N/A	CM12-50	
16d	CM16-1	CM16-5	CM16-30	CM16-50	
20d	N/A	N/A	N/A	CM20-50	
30d	N/A	N/A	N/A	CM30-50	
40d	N/A	N/A	N/A	CM40-50	
50d	N/A	N/A	N/A	CM50-50	
60d	N/A	N/A	N/A	CM60-50	

HT, OIL QUENCHED RS POLE BARN

SIZE	5LB SKU	30LB SKU	50LB SKU
20d	PBHTR20-5	PBHTR20-30	PBHTR20-50
40d	PBHTR40-5	PBHTR40-30	PBHTR40-50
60d	PBHTR60-5	PBHTR60-30	PBHTR60-50
80d	N/A	N/A	PBHTR80-50

WOOD PRO

NAILS

VINYL COATED SINKER 11111 SIZE **1LB SKU 5LB SKU 50LB SKU 30LB SKU** 6d N/A N/A N/A CSV6-50 7d N/A N/A CSV7-50 N/A 8d CSV8-1 CSV8-5 CSV8-30 CSV8-50 10d CSV10-1 CSV10-5 CSV10-30 CSV10-50 12d CSV12-1 CSV12-5 CSV12-30 CSV12-50 16d CSV16-1 CSV16-5 CSV16-30 CSV16-50

	BRIGHT BOX NAILS				
SIZE	1LB SKU	5LB SKU	30LB SKU	50LB SKU	
4d	N/A	N/A	N/A	BX4-50	
6d	N/A	N/A	N/A	BX6-50	
16d	N/A	N/A	N/A	BX16-50	
20d	N/A	N/A	N/A	BX20-50	

N/A

N/A

CSV20-50

20d

N/A

BRIGHT MASONRY				
SIZE	1LB SKU	5LB SKU	30LB SKU	50LB SKU
6d	HCM6-1	N/A	N/A	N/A
8d	HCM8-1	HCM8-5	N/A	HCM8-50

Н	HOT DIP GALV. POULTRY STAPLE				
SIZE	1LB SKU	5LB SKU	30LB SKU	50LB SKU	
3/4"	N/A	N/A	N/A	PSHD34-50	
1-3/4"	N/A	N/A	N/A	PSHD134-50	

	POLISHED FENCE STAPLE				
SIZE	1LB SKU	5LB SKU	30LB SKU	50LB SKU	
1-1/4"	N/A	N/A	N/A	FSG114-50	
1-3/4"	N/A	N/A	N/A	FSG134-50	

	BRIGHT LANDSCAPE SPIKES				
SIZE	1LB SKU	5LB SKU	30LB SKU	50LB SKU	
8d	N/A	N/A	N/A	LS8-50	
10d	N/A	N/A	N/A	LS10-50	
12d	N/A	N/A	N/A	LS12-50	







AIR HOSE / ACCESSORIES

100% premium polyurethane re-enforced air hose from B&C Eagle is much lighter compared to bulky rubber or plastic hose. It's easier to maneuver, highly tangle and kink resistant, and ultra durable. Ideal for use in doors or out doors. This hose maintains it's flexibility through the most extreme weather, from 165° F to -40° F.



Features

- Approximately half the weight of a conventional rubber air hose
- Stays flexible from 165°F to -40°F
- Resistant to abrasion, kinks, tangles, oil and grease
- Includes 1/4" NPT male brass solid fittings
- 200 psi @ 75°F rated
- No memory, lays out flat
- 4:1 Safety factor (Burst at 800 PSI)

AIR HOSE ITEM LIST			
PUR14X25B	1/4" x 25' BLUE Air Hose		
PUR14X50B	1/4" x 50' BLUE Air Hose		
PUR14X100B	1/4" x 100' BLUE Air Hose		
PUR38X50B	3/8" x 50' BLUE Air Hose		
PUR38X100B	3/8" x 100' BLUE Air Hose		

PNEUMATIC TOOL ACCESSORIES

American Fastening Systems stocks a variety of pneumatic tool and compressor fittings as well as Rol-Air All-Weather Synthetic Blend Air Tool Oil.









SERVICE DEPARTMENT

Need your compressor, pneumatic or gas tool repaired?

American Fastening Systems makes it easy and convenient to have your tool or compressor repaired. We have a complete repair facility with over 40 years of experience in repairing all major brands of pneumatic tools and compressors. We have an extensive inventory of hard parts available to service your tools.

To have your tool repaired by American Fastening Systems, please contact our service department at (651)-482-1234. If you are local to the Minneapolis/St. Paul area, you can drop off your tool or compressor for repair at: 2055 White Bear Ave, Maplewood MN 55109. You can also email us for more information at service@americanfastening.com

Authorized repair center for these brands and more













Parts available

Along with tool service, we also have parts for sale to service your tools yourself. We have o-ring kits and spare parts in stock and ready to ship for most major brands. Please call us or email us for questions or to place an order.











WE OFFER 2', 4', 8', 16' DISPLAYS

We have planogram offerings from 2 feet to 16 feet. Because each market is different, any one of our planograms can be customized to suit your specific needs. We want you to stock products that you can sell. Contact your distributor for more information.











AMERICAN FASTENING SYSTEMS



DISTRIBUTED BY:

American Fastening Systems 2055 White Bear Ave N Maplewood, MN 55109

Ph. 651-482-1234 / 877-842-1234 Fax. 651-482-6111 www.bandceagle.com www.woodprofasteners.com





WWW.BANDCEAGLE.COM WWW.WOODPROFASTENERS.COM